

Documentation for EHS 55P Safety Training

\_\_\_\_\_  
Name of unit  
(office name, shop/dep't name, research lab name, principal investigator's name, or course name and number as appropriate.)

\_\_\_\_/\_\_\_\_/\_\_\_\_  
Date

Mark with an X the items included. Enter "NA" if not applicable in this laboratory or to this person.

With my signature I affirm that appropriate instruction based upon the Laboratory Safety Manual, Part I & V, including demonstrations and supervised practice as needed, have been provided in the marked subjects for the safe occupancy of laboratories with non-exempt lasers: (EHS 50P or 51 P documentation and completed EHS 54 Exam to be in the files.)

- \_\_\_ 1. Use and maintenance of all necessary warning signs and signals involving lasers and their use (both at the entrance and inside the room).
- \_\_\_ 2. Proper use of personal protective equipment specific for lasers—laser safety glasses, shields, stops etc.
- \_\_\_ 3. All vendor-specified safety precautions for the lasers being used.
- \_\_\_ 4. All laboratory-specific safety procedures for the lasers being used—including any verbal warning to occupants and access restrictions.
- \_\_\_ 5. Procedures for testing and maintaining all required interlocks.
- \_\_\_ 6. Procedures required for unattended processes if permitted (including security).
- \_\_\_ 7. Conditions to be met prior to energizing the lasers being used.
- \_\_\_ 8. All procedures specified in a Laboratory Permit.

Additional laboratory-specific requirements as listed:

- \_\_\_ 9. \_\_\_\_\_.
- \_\_\_ 10. \_\_\_\_\_.
- \_\_\_ 11. \_\_\_\_\_.

Note: Provision for medical surveillance may need to be added

This training has been provided to those who signed the accompanying dated [signature form](#).

Name of Supervisor/Instructor	Signature	KU ID
-------------------------------	-----------	-------